

# Technical Accessory Guides (TAGs)

For Associates, Resellers, ISVs and Alliance Partners

Global



Version: Active-Only

Will only show products that are known to be available for sale

Need to provide an update or change?

Contact <mailto:pgw786@zebra.com>



For Internal Use by  
**PartnerConnect Members Only**



# MC3300 Series Technical Accessory Guide



Note: MC3300 Premium and Premium+ configurations discontinued 4/2021 - see PMB 10580 Rev B  
MC3300R (RFID) configurations discontinued 4/2021 - see PMB 10582 Rev B





**NOTE:** This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection.




\* Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

## Cradles and Charging


### Cradles

Part Number	Picture	Description	Notes	Required Items
CRD-MC33-2SUCHG-01		Single Slot Charge/Communication Cradle	<ul style="list-style-type: none"> <li>► Provides USB support</li> <li>► Supports MC33 terminal and spare battery charging</li> <li>► Will charge spare battery for MC33 or MC32.</li> <li>► Supports fast-charging of MC33 device and MC33 battery: <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> </li> <li>► LED notification of spare battery charging status.</li> <li>► Note: Cradles manufactured after June 2018 will have a larger base/foot print to prevent the cradle from tipping over when using with MC33 series RFID units.</li> </ul>	<ul style="list-style-type: none"> <li>► Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01)</li> <li>► AC Line Cord (23844-00-00R).</li> <li>► USB Cable (25-124330-01R) for PC connection</li> </ul>
KT-CRD-MC33-2SUCHG-01		Single Slot Charge/Communication Cradle Kit	<ul style="list-style-type: none"> <li>► Provides USB support</li> <li>► Supports MC33 terminal and spare battery charging</li> <li>► Will charge spare battery for MC33 or MC32.</li> <li>► Supports fast-charging of MC33 device and MC33 battery: <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> </li> <li>► LED notification of spare battery charging status.</li> <li>► Kit includes Single Slot Cradle (CRD-MC33-2SUCHG-01), Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-388A1-01).</li> </ul>	<ul style="list-style-type: none"> <li>► AC Line Cord (23844-00-00R).</li> <li>► USB Cable (25-124330-01R) for PC connection</li> </ul>



<p>PSCK-MC3300E (3rd party) *</p> <p><a href="http://www.portsmith.com">http://www.portsmith.com</a></p>		<p>Portsmith Single Slot Ethernet Cradle Kit</p>	<ul style="list-style-type: none"> <li>► Cradle communicates with the device via USB . No additional drivers are required.</li> <li>► Connects to the LAN via a 10/100 mbps Ethernet connection.</li> <li>► Cradle accommodates terminals equipped with standard or extended batteries.</li> <li>► Kit includes: cradle, Ethernet cable, Power Supply, and AC Cord.</li> </ul>	
<p>CRD-MC33-5SCHG-01</p>		<p>5-Slot Charge-Only ShareCradle</p>	<ul style="list-style-type: none"> <li>► Will charge up to five MC33 units.</li> <li>► Does not charge spare batteries.</li> <li>► Supports fast-charging of MC33: <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> </li> <li>► Can be racked/ mounted in a standard 19inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01)</li> </ul>	<ul style="list-style-type: none"> <li>► DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW)</li> <li>► AC Line Cord (23844-00-00F)</li> </ul>
<p>CRD-MC33-4SC4BC-01</p>		<p>5-Slot Charge-Only ShareCradle with Spare Battery Charger</p>	<ul style="list-style-type: none"> <li>► Will charge up to four MC33 terminals and four MC33 or MC32 spare batteries.</li> <li>► Supports fast-charging of MC33 devices and MC33 batteries: <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> </li> <li>► Can be racked/ mounted in a standard 19inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01)</li> </ul>	<ul style="list-style-type: none"> <li>► DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW)</li> <li>► AC Line Cord (23844-00-00F)</li> </ul>
<p>CRD-MC33-5SETH-01</p>		<p>5-Slot Ethernet/Charging ShareCradle</p>	<ul style="list-style-type: none"> <li>► Allows network speeds up to 1 Gb</li> <li>► Will charge up to five MC33 units.</li> <li>► Supports fast-charging of MC33: <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> </li> <li>► Can be racked/ mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01)</li> </ul>	<ul style="list-style-type: none"> <li>► DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW)</li> <li>► AC Line Cord (23844-00-00F)</li> </ul>

CRD-MC33-4SE4BC-01		MC33 5-Slot Ethernet/Charging ShareCradle with Spare Battery Charger	<ul style="list-style-type: none"> <li>▶ Allows network speeds up to 1 Gb</li> <li>▶ Will charge up to four MC33 terminals and four MC33 or MC32 spare batteries.</li> <li>▶ Supports fast-charging of MC33 devices and MC33 batteries: <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> </li> <li>▶ Can be racked/ mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01)</li> </ul>	<ul style="list-style-type: none"> <li>▶ DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW)</li> <li>▶ AC Line Cord (23844-00-00P)</li> </ul>
ADP-MC33-CRDCUP-01		MC33 Adapter Cup to MC30/MC31/MC32 Legacy Cradles	<ul style="list-style-type: none"> <li>▶ Allows MC33 to be used with MC30/MC31/MC32 Single Slot and Multi-Slot Cradles</li> <li>▶ NOTE: Adapter Cup does not provide communications support (USB, Serial, Ethernet). Will only provide charging support.</li> <li>▶ Does NOT support fast-charging of MC33. MC33 used in legacy cradles will be charged at standard rate: <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 3 hours at standard charging rate.</li> <li>- charges 2X battery from 0-90% in about 5.5 hours at standard charging rate.</li> </ul> </li> <li>▶ Order one Adapter Cup for Single Slot Cradles and four Adapter Cups for Multi-Slot Cradles.</li> </ul>	
BRKT-SCRD-SMRK-01		5-Slot ShareCradle Mounting Bracket	<ul style="list-style-type: none"> <li>▶ Allows for rack and wall mounting of one 5-Slot ShareCradle, up to four Single Slot ShareCradles, or up to four MC32/MC33 4-Slot Battery Chargers.</li> <li>▶ Bracket can be mounted on standard 19" network rack or on a wall.</li> <li>▶ Has cable routing slots and removable power supply tray that stores and conceals power supplies.</li> <li>▶ Adjustable tabs &amp; screw mounts for easy hanging/installation.</li> <li>▶ Adjustable orientations: <ul style="list-style-type: none"> <li>- 25° High Density (5-Slot Charge Only Cradle)</li> <li>- Horizontal (Single Slot Cradle or 4-Slot Battery Chargers).</li> </ul> </li> <li>▶ See the Bluetooth-Generic Accessories TAG for info on 3rd party Network Racks that can be used for mounting this bracket.</li> </ul>	




ADP-TC7X-PLT-FX		5-Slot ShareCradle Mounting Bracket Adapter Plate for Honeywell	<p>► Allows Zebra Multi-Slot ShareCradles to be mounted on legacy Honeywell Flex Cradle Wall Mount Brackets (HON SKU #203-641-002).</p> <p>► Includes hardware to attach plate to HON wall bracket and secure ShareCradle to plate.</p> <p>► <b>NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this cable.</b></p>	
-----------------	---	---	--	--

#### Battery Charging




Part Number	Picture	Description	Notes	Required Items
SAC-MC33-4SCHG-01		MC32/MC33 4-Slot Battery Charger	<p>► This cradle charges spare batteries only (1X/Standard or 2X/Extended size).</p> <p>► Supports charging of both MC33 and MC32 batteries.</p> <p>► Supports fast-charging of MC33 batteries:</p> <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> <p>► Can be used standalone or up to four chargers can be installed on Multi-Slot Wall/Rack Mount Bracket (BRKT-SCRD-SMRK-01).</p>	<p><u>To power single 4-slot Charger:</u></p> <ul style="list-style-type: none"> <li>► Power Supply (PWR-BGA12V50W0WW)</li> <li>► DC Line Cord (CBL-DC-388A1-01)</li> <li>► AC Line Cord (23844-00-00R)</li> </ul> <p><u>To power two sets of 4-slot Chargers from one power supply:</u></p> <ul style="list-style-type: none"> <li>► Power Supply (PWR-BGA12V108W0WW)</li> <li>► DC Y-Cable Line Cord (CBL-DC-523A1-01)</li> <li>► AC Line Cord (23844-00-00R)</li> </ul> <p><u>To power five 4-slot Chargers:</u></p> <p>Use MC33 20-Slot Battery Charger (SAC-MC33-20SCHG-01) instead.</p> <ul style="list-style-type: none"> <li>► PWR-BGA12V108W0WW</li> <li>► CBL-DC-381A1-01</li> </ul>
SAC-MC33-20SCHG-01		MC32/MC33 20-Slot Battery Charger	<p>► Charges MC33 or MC32 spare batteries (1X/Standard or 2X/Extended size).</p> <p>► Uses 5-Slot ShareCradle with five 4-Slot Battery Chargers (SAC-MC33-4SCHG-01) attached.</p> <p>► Does NOT support fast-charging of MC33 batteries. All battery types charged at standard rate:</p> <ul style="list-style-type: none"> <li>- charges 1X battery from 0-90% in about 3 hours at standard charging rate.</li> <li>- charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate.</li> <li>- charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours.</li> </ul> <p>► Can be racked/mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01).</p>	<ul style="list-style-type: none"> <li>► Power Supply (PWR-BGA12V108W0WW)</li> <li>► DC Line Cord (CBL-DC-381A1-01)</li> <li>► AC Line Cord (23844-00-00R)</li> </ul>

#### Direct to Device Charging

Part Number	Picture	Description	Notes	Required Items
-------------	---------	-------------	-------	----------------

CBL-MC33-USBCHG-01		MC33 USB Communication/Charging Cable		<b>For charging:</b> ▶ USB charger... <b>Indoor use:</b> order Country Specific version of USB Power Supply (PWR-WUA5V12W0xx)  <b>In Vehicle use:</b> USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)
--------------------	---	---------------------------------------	--	--

#### Communication Cables

Part Number	Picture	Description	Notes	Required Items
CBL-MC33-USBCHG-01		MC33 USB Communication/Charging Cable		<b>For charging:</b> ▶ USB charger... <b>Indoor use:</b> order Country Specific version of USB Power Supply (PWR-WUA5V12W0xx)  <b>In Vehicle use:</b> USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)
25-124330-01R		MC33 USB Single-Slot Cradle to PC/Host cable	▶ Used with the Single Slot Cradle (CRD-MC33-2SUCHG-01) ▶ Micro USB connection on cradle end	
PSAK-UCE (3rd party) *		Portsmith USB Ethernet Adapter Kit for MC30/MC31/MC32 and MC3300 series	▶ Connects to MC3x00 via Single Slot USB cradles. Acts as USB Peripheral device to MC3x00 (USB host) ▶ Requires no separate power supply, has grounded wiring from both the USB and Ethernet ports, and operates on very low power draw directly from the USB connection. ▶ Molded end caps enable the adapters to be aligned side by side or top to bottom, for efficient use of desktop space and organization of cables. ▶ Kit includes PSA1U1E adapter and three USB cables for connecting to a variety of devices. ▶ Android devices require no additional drivers. Windows devices may require software driver from <a href="http://www.portsmith.com">http://www.portsmith.com</a>	<b>For MC3300</b> Single Slot Charge/Communication Cradle (CRD-MC33-2SUCHG-01)  <b>For MC31/MC32</b> Single Slot Charge/Communication Cradle (CRD3000-1000RR)





#### Snap-On Accessories






Part Number	Picture	Description	Notes	Required Items
-------------	---------	-------------	-------	----------------

3PTY-TIS-MC33TGHD		Pistol Grip Trigger Handle for MC33 Straight-Shooter	<ul style="list-style-type: none"> <li>► Allows MC33 Straight-Shooter configurations to be used as a gun handle device.</li> <li>► Simple compact trigger handle. Trigger handle mechanically presses the left trigger button on the MC33 when the trigger handle is pulled.</li> <li>► Slides into position on the MC33 and locks into place using the handstrap tether point on the MC33.</li> <li>► MC33 can be recharged in the cradle with the trigger handle on.</li> <li>► Does not block access to camera on back of MC33, which allows for a gun handled camera-enabled device. The MC33 should not be held using the trigger handle while taking pictures to avoid getting user's hand in the shot.</li> <li>► MC33 battery can be swapped without removing the trigger handle.</li> <li>► IP-67 rated, surviving multiple drops on concrete (drop height: 5.9'/ 1.8 m) and offering a wide operating temperature range (5°F to 122°F/-15°C to +50°C).</li> <li>► Trigger mechanism was designed for over 1 million pulls.</li> <li>► MC33 Handstrap must be removed to use Trigger Handle.</li> <li>► Only compatible with MC33 Straight-Shooter configurations.</li> <li>► <b>NOTE:</b> This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item.</li> </ul>	
Soft Goods - Cases/Holsters				
Part Number	Picture	Description	Notes	Required Items
SG-MC33-RDHLST-01		MC33 Rigid Holster	<ul style="list-style-type: none"> <li>► This carrying case secures the device to a belt.</li> <li>► Not compatible with MC33 series RFID units.</li> <li>► Not compatible with devices having Rubber Boot installed.</li> </ul>	
SG-MC3X-SHLSTB-01		Fabric Holster for Brick/Straight-Shooter or Rotating Head configurations	<ul style="list-style-type: none"> <li>► This carrying case secures the MC3x00 to a belt (using belt clip) or can be worn cross-body (using included strap).</li> <li>► Compatible with all Brick/Straight Shooter or Rotating Head units.</li> <li>► Devices with Rubber Boot installed will fit into Holster. The fit will be tight though.</li> <li>► Uses modified strap to secure device in holster vs. 11-69293-01R.</li> </ul>	



SG-MC3021212-01R		Fabric Holster for Gun configuration	<ul style="list-style-type: none"> <li>► Includes modification with a softer belt loop and stronger button snap to avoid the button from snapping open when the MC3x00 is inserted into the holster.</li> <li>► Devices with Rubber Boot (11-72959-04R) will fit into Holster. The fit will be tight though.</li> <li>► MC33 series RFID units must be inserted into cradle with bottom of device inserted first.</li> <li>► Can be mounted on belt or includes tether points to be used with Universal Should Strap (58-40000-007R)</li> </ul>	
O4925DWSPOS2 (3rd party) * <a href="http://www.ultimacase.com">http://www.ultimacase.com</a>		Replacement Swivel Belt Clips for holsters 		
11-08062-02R		Belt for holster	<ul style="list-style-type: none"> <li>► Belt is 2 inches wide</li> <li>► Extends to 48 inches</li> <li>► Has improved buckle and softer belt material</li> </ul>	
V6198DW (3rd party) * <a href="http://www.ultimacase.com">http://www.ultimacase.com</a>		Belt Extender	► Used to extend the holster belt (11-08062-02R) an additional 10 inches	
58-40000-007R		Universal Shoulder Strap	► 1.5" wide, 22 to 50" max. length	
A1236ST (3rd party) * <a href="https://www.shilpittrading.com">https://www.shilpittrading.com</a>		Universal Shoulder Strap	<ul style="list-style-type: none"> <li>► Belt is 1 inch wide</li> <li>► Extends to 54 inches</li> <li>► Moulded shoulder pad</li> <li>► Plastic swivel snap hooks</li> </ul>	
SG-MC33-HDSTPG-01		MC33 Gun Handstrap (single)	<ul style="list-style-type: none"> <li>► This hand strap is included with MC3300 Gun units but is not included with MC3300x Gun units.</li> <li>► Optional hand strap for MC3300x Gun units (does not ship with device).</li> <li>► Replacement hand strap for MC3300 Gun units (ships with device).</li> </ul>	


<p>SG-MC32-HDSTG-01 (pack of 3)</p>		<p>Replacement MC31/MC32/MC33 Gun Handstraps</p>	<ul style="list-style-type: none"> <li>► This is an alternative lower cost hand strap for Gun units.</li> <li>► Lower profile strap does not include UHF RFID tag for asset tracking.</li> </ul>	
<p>SG-MC33-HDSTPB-01</p>		<p>Replacement MC33 Brick or Turret Head Handstrap</p>	<ul style="list-style-type: none"> <li>► This is the same strap that ships with the MC3300 and MC3300x Brick (straight shooter) or Turret Head units.</li> <li>► Includes loop for storing optional stylus.</li> </ul>	

<p>SG-MC33-LNYDB-01</p>		<p>Lanyard for MC3300 Brick style units</p>  	<ul style="list-style-type: none"> <li>▶ Allows MC32 or MC3300 Brick/Straight Shooter or Turret Head units to be attached to a retractable lanyard.</li> <li>▶ Lanyard can be worn cross-body using included strap or strap can be removed and lanyard can be attached to belt.</li> <li>▶ Standard handstrap must be removed to allow lanyard to be attached to MC3X unit.</li> <li>▶ When using as belt mounted lanyard, can be used with Belt for Holster (11-08062-02R)</li> <li>▶ Only compatible with MC3300 Brick style devices. Not compatible with MC3300x Brick devices due to the potential of increased WiFi radio output exceeding SAR limit.</li> <li>▶ For safety, includes multiple break-away points triggered by a force of &lt; 19 kgf (42lbf).</li> <li>▶ NOT compatible with Gun configuration devices.</li> </ul>	
<p>SG-MC33-RBTS-01</p>		<p>Rubber Boot for MC33 Brick/Straight-Shooter units</p>	<ul style="list-style-type: none"> <li>▶ Works with Imager configuration brick/straight-shooter units</li> <li>▶ Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings.</li> <li>▶ Compatible with fabric holsters.</li> <li>▶ Not compatible with Forklift Holder</li> <li>▶ Boot must be removed before inserting into cradles.</li> </ul>	

SG-MC33-RBTRD-01		Boot for MC33 Turret Head Scanner	<ul style="list-style-type: none"> <li>► Works with Turret Head Scanner configuration units.</li> <li>► Includes Boot for unit.</li> <li>► Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings.</li> <li>► Compatible with fabric holsters.</li> <li>► Not compatible with Forklift Holder</li> <li>► Boot must be removed before inserting into cradles.</li> </ul>	Typically ordered with Cup for Turret Head Scanner (SG-MC33-RBTRT-01)
SG-MC33-RBTRT-01		Cup for MC33 Turret Head Scanner	<ul style="list-style-type: none"> <li>► Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings.</li> </ul>	Typically ordered with Boot for Turret Head Scanner (SG-MC33-RBTRD-01)
SG-MC33-RBTG-01		Rubber Boot for MC33 Gun	<ul style="list-style-type: none"> <li>► Works with both Laser and Imager gun units</li> <li>► Devices with Boot will also fit into Fabric Gun Holster (SG-MC3021212-01R). The fit will be tight though.</li> <li>► Not compatible with MC33 series RFID units.</li> <li>► Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings.</li> <li>► Compatible with fabric holsters.</li> <li>► Not compatible with Forklift Holder</li> <li>► Boot must be removed before inserting into cradles.</li> </ul>	
SG-MC33-RBTG-02		Rubber Boot for MC33 series RFID unit	<ul style="list-style-type: none"> <li>► Only compatible with MC33 series RFID units.</li> <li>► Includes holder for optional stylus (SG-TC7X-STYLUS-03), which is not included, and tether point for stylus tether.</li> <li>► Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings.</li> <li>► Devices with Boot will also fit into Fabric Gun Holster (SG-MC3021212-01R) - bottom of MC33 RFID device will insert into holster. The fit will be tight though.</li> <li>► Not compatible with Forklift Holder</li> <li>► Boot must be removed before inserting into cradles.</li> </ul>	
SG-MC33-RBTG-03		Half Rubber Boot for MC33 series RFID unit	<ul style="list-style-type: none"> <li>► Only compatible with MC33 series RFID units.</li> <li>► Includes holder for optional stylus (SG-TC7X-STYLUS-03), which is not included, and tether point for stylus tether.</li> <li>► Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings.</li> <li>► Devices with Boot will also fit into Fabric Gun Holster (SG-MC3021212-01R) - bottom of MC33 RFID device will insert into holster. The fit will be tight though.</li> <li>► Not compatible with Forklift Holder</li> <li>► Boot covers top half of device allowing easy insertion into cradles.</li> </ul>	



(3rd party) * <a href="http://www.ultimacase.com">http://www.ultimacase.com</a>	Agora Leather website	Additional holsters for MC3000 series		
0000-0543 (3rd party) * <a href="http://www.multiplexx.com/">http://www.multiplexx.com/</a>		Hip holster with belt for MC3X Brick/Straight-Shooter units	<ul style="list-style-type: none"> <li>▶ Left-hand/right-hand interchangeable</li> <li>▶ The holster and belt provide protection and hands free mobility to sensitive equipment</li> </ul>	
(3rd party) * <a href="http://logisterra.com/products/symbol/symbol.html">http://logisterra.com/products/symbol/symbol.html</a>	Logisterra website	Additional Holsters for MC3000 series		
<b>Vehicle/Forklift Cradles and Holders</b>				
<b>Powered Cradles and Holders (provides device charging and/or communication)</b>				
Part Number	Picture	Description	Notes	Required Items
various (3rd party) *  <a href="http://www.proclipusa.com/category/zebra">http://www.proclipusa.com/category/zebra</a>		Proclip Charge-Only Cradles/Holders  	<ul style="list-style-type: none"> <li>▶ Available as: <ul style="list-style-type: none"> <li>- powered - hard-wired</li> <li>- powered - cigarette lighter adapter</li> </ul> </li> <li>▶ Also available with: <ul style="list-style-type: none"> <li>- No top support arm</li> <li>- With top support arm to keep device in place during intense vibration conditions.</li> </ul> </li> <li>▶ Holds MC33 Gun, Brick, or Turret Head devices.</li> <li>▶ Not compatible with MC33 series RFID units.</li> <li>▶ Fixed Mount - does not tilt or swivel</li> <li>▶ Mount ready via AMPS hole pattern</li> </ul>	Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website

various (3rd party) *		Proclip Charge-Only Cradles/Holders for MC33 series RFID unit	<ul style="list-style-type: none"> <li>► Available as: <ul style="list-style-type: none"> <li>- powered - hard-wired</li> </ul> </li> <li>► Also available with: <ul style="list-style-type: none"> <li>- Top support arm.</li> <li>- Top support arm with vibration dampers to protect device when mounting on higher vibration vehicles (i.e. fork lifts).</li> </ul> </li> <li>► Holds MC33 series RFID units only.</li> <li>► Fixed Mount - does not tilt or swivel</li> <li>► Mount ready via AMPS hole pattern</li> </ul>	Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website
--------------------------	---	---	---	---

<http://www.proclipusa.com/category/zebra>





#### Un-Powered Cradles and Holders (passive holders, no charging support)

Part Number	Picture	Description	Notes	Required Items
MNT-MC33-FLCH-01		Fork Lift Cradle (un-powered)	<ul style="list-style-type: none"> <li>► Bracket holds all MC3X00 configurations, except RFID units, for convenient mounting on fork lift.</li> <li>► Installs on a roll bar or square surface of the forklift and allows the device to be used in landscape or portrait mode.</li> <li>► Includes RAM 1" diameter ball on back of cradle.</li> <li>► Does NOT charge MC3X00.</li> <li>► Not compatible with devices with rubber boot attached.</li> </ul>	<ul style="list-style-type: none"> <li>► RAM Mount Arm for Fork Lift Cradle (MNT-RAM-B201U)</li> <li>► RAM Mount Base for Fork Lift Cradle (MNT-RAM-B247U25)</li> </ul>
MNT-RAM-B201U		RAM Mount Arm for MC3X00 Fork Lift Cradle	<ul style="list-style-type: none"> <li>► Used with Fork Lift Cradle (MNT-MC33-FLCH-01)</li> <li>► RAM Double Sock Arm for 1" ball</li> <li>► Uses RAM Mount P/N RAM-B-201U</li> </ul>	
MNT-RAM-B247U25		RAM Mount Base for MC3X00 Fork Lift Cradle	<ul style="list-style-type: none"> <li>► Used with Fork Lift Cradle (MNT-MC33-FLCH-01)</li> <li>► Attaches to square shaped rail/post of forklift.</li> <li>► 2.5" Max Width Square Rail Base with 1" diameter ball</li> <li>► Uses RAM Mount P/N RAM-B-247U-25</li> </ul>	

<p>241468 (3rd party) *</p> <p><a href="http://www.proclipusa.com/category/zebra">http://www.proclipusa.com/category/zebra</a></p>		<p>ProClip MC33 Holder, Rear Facing Display, Top Hold, No Tilt or Swivel (un-powered)</p>	<ul style="list-style-type: none"> <li>▶ Holds MC33 Gun, Brick, or Turret Head devices</li> <li>▶ Not compatible with MC33 series RFID units.</li> <li>▶ Rear Facing - Device screen faces away from user to prevent device usage while driving</li> <li>▶ Fixed Mount - does not tilt or swivel</li> <li>▶ Mount ready via AMPS hole pattern</li> </ul>	<p>Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website</p>
<p>711056 (3rd party) *</p> <p><a href="http://www.proclipusa.com/category/zebra">http://www.proclipusa.com/category/zebra</a></p>		<p>ProClip MC33 Holder, Rear Facing Display, Top Hold, with Tilt Swivel (un-powered)</p>	<ul style="list-style-type: none"> <li>▶ Holds MC33 Gun configurations only.</li> <li>▶ Not compatible with MC33 series RFID units.</li> <li>▶ Rear Facing - Device screen faces away from user to prevent device usage while driving</li> <li>▶ Variable Mount - can be tilted and swiveled and mounted vertically or horizontally.</li> <li>▶ Mount ready via AMPS hole pattern</li> </ul>	<p>Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website</p>
<p>241467 (3rd party) *</p> <p><a href="http://www.proclipusa.com/category/zebra">http://www.proclipusa.com/category/zebra</a></p>		<p>ProClip MC33 Holder, Front Facing Display, Top Hold, No Tilt or Swivel (un-powered)</p>	<ul style="list-style-type: none"> <li>▶ Holds MC33 Gun, Brick, or Turret Head devices.</li> <li>▶ Not compatible with MC33 series RFID units.</li> <li>▶ Front Facing - allows user to access screen and keyboard while cradled.</li> <li>▶ Fixed Mount - does not tilt or swivel</li> <li>▶ Mount ready via AMPS hole pattern</li> </ul>	<p>Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website</p>

<p>711040 (3rd party) *</p> <p><a href="http://www.proclipusa.com/category/zebra">http://www.proclipusa.com/category/zebra</a></p>		<p>ProClip MC33 Holder, Front Facing Display, Top Hold, with Tilt Swivel (un-powered)</p>	<ul style="list-style-type: none"> <li>▶ Holds MC33 Gun, Brick, or Turret Head devices.</li> <li>▶ Not compatible with MC33 series RFID units.</li> <li>▶ Front Facing - allows user to access screen and keyboard while cradled.</li> <li>▶ Variable Mount - can be tilted and swiveled.</li> <li>▶ Mount ready via AMPS hole pattern.</li> </ul>	<p>Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website</p>
<p>241649 (3rd party) *</p> <p><a href="http://www.proclipusa.com/category/zebra">http://www.proclipusa.com/category/zebra</a></p>		<p>ProClip MC33R RFID Holder, Front Facing Display, Top Hold, No Tilt or Swivel (un-powered)</p>	<ul style="list-style-type: none"> <li>▶ Holds MC33 series RFID devices.</li> <li>▶ Front Facing - allows user to access screen and keyboard while cradled.</li> <li>▶ Fixed Mount - does not tilt or swivel</li> <li>▶ Mount ready via AMPS hole pattern</li> </ul>	<p>Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website</p>
<p>241650 (3rd party) *</p> <p><a href="http://www.proclipusa.com/category/zebra">http://www.proclipusa.com/category/zebra</a></p>		<p>ProClip MC33R RFID Holder with Vibration Dampers, Front Facing Display, Top Hold, No Tilt or Swivel (un-powered)</p>	<ul style="list-style-type: none"> <li>▶ Holds MC33 series RFID devices.</li> <li>▶ Front Facing - allows user to access screen and keyboard while cradled.</li> <li>▶ Fixed Mount - does not tilt or swivel</li> <li>▶ Vibration Dampers protect device when mounting on higher vibration vehicles (i.e. fork lifts).</li> <li>▶ Mount ready via AMPS hole pattern</li> </ul>	<p>Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website</p>

7160-0854 (3rd party) *		Gamber-Johnson Barcode Scanner/Mobile Computer Mount	<ul style="list-style-type: none"> <li>▶ Attaches to the overhead guard leg on forklift trucks. It is designed to fit rectangular pillars between 1.5" to 2.5" wide with easy installation</li> <li>▶ Heavy gauge steel construction for long-term durability in a rugged environment.</li> <li>▶ Black powdercoat finish for maximum corrosion resistance.</li> <li>▶ Designed to securely fit most handheld barcode scanners and mobile computers.</li> <li>▶ Works with wireless and wired devices</li> </ul>	
<a href="https://www.gamberjohnson.com">https://www.gamberjohnson.com</a>				
7160-1306 (3rd party) *		Gamber-Johnson Scanner Pocket Mount with Small Back Plate	<ul style="list-style-type: none"> <li>▶ Scanner mount is designed to support scanner or handheld computer in a rugged environment by holding it securely to the overhead guard leg of fork lift vehicle.</li> <li>▶ Adjustable in width, and offers 3 mounting orientations from the overhead guard leg or one of Gamber-Johnson's extension bars.</li> <li>▶ Designed to hold most handheld computers and scanners.</li> <li>▶ Adjustable to fit 3.5" to 4.5" width and set at 2.5" tall</li> <li>▶ Designed to be orientated inside, outside, or inline with the overhead guard leg.</li> <li>▶ Attaches to rectangular overhead guard legs that are 1.5 in to 2.5 in (3.81 cm to 6.35 cm) wide.</li> </ul>	
<a href="https://www.gamberjohnson.com">https://www.gamberjohnson.com</a>				
AA1036DW (3rd party) *		MC3XXX-G (Gun) Forklift Holster	 <ul style="list-style-type: none"> <li>▶ Includes cable ties for mounting holster to forklift</li> <li>▶ Does not provide device charging</li> </ul>	
<a href="http://www.ultimacase.com">http://www.ultimacase.com</a>				
<b>Misc</b>				
Part Number	Picture	Description	Notes	Required Items
SG-TC7X-STYLUS-03 (pack of 3)  SG-TC7X-STYLUS-06 (pack of 6) NOTE: 6-pack is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item.		Stylus Kit with Tether	<ul style="list-style-type: none"> <li>▶ Includes fine-pitch, capacitive Stylus (SG-TC7X-STYLUS1-03) and coiled tether (KT-TC7X-TETHR1-03)</li> <li>▶ Conductive Carbon-filled plastic material w/ 5mm tip.</li> <li>▶ Length of stylus is 3.5".</li> <li>▶ Rigid plastic stylus is optimized for enterprise durability.</li> <li>▶ Clip &amp; tether point to reduce loss.</li> <li>Tether to Handstrap</li> <li>▶ When not being used stylus can be stored in loop on Handstrap or in the optional Holster</li> </ul>	





SG-STYLUS-TCX-MTL-03 (pack of 3)		Fiber Tipped Stylus	<ul style="list-style-type: none"> <li>▶ Black Passive Stylus with Zebra logo</li> <li>▶ 5" length</li> <li>▶ Heavy duty - made from stainless steel and brass. No plastic parts - real pen feel.</li> <li>▶ Can be used in rain.</li> <li>▶ Micro-Knit Hybrid Mesh Fiber Tip provides silent, smooth gliding use.</li> <li>▶ Big improvement over rubber tipped or plastic tipped stylus.</li> <li>▶ Compatible with all capacitive touch screen devices.</li> <li>▶ Can be tethered to device using KT-TC7X-TETHR1-03 or SG-ET5X-SLTETR-01.</li> </ul>	
KT-TC7X-TETHR1-03 (pack of 3)		Replacement Coiled Tether for Stylus	<ul style="list-style-type: none"> <li>▶ This tether is included with Stylus Kit with Tether (SG-TC7X-STYLUS-03)</li> </ul>	
SG-ET5X-SLTETR-01 (single)		Replacement Coiled Tether for Stylus	<ul style="list-style-type: none"> <li>▶ This tether is typically used with the ET5X series' stylus but can be used with MC33 Stylus.</li> </ul>	
MISC-MC33-SCRN-01 (pack of 5)		MC33 Tempered Glass Screen Protector (pack of 5)	<ul style="list-style-type: none"> <li>▶ Tempered glass</li> <li>▶ Includes alcohol wipes, cleaning cloth and tools needed for screen protector installation.</li> </ul>	
Additional Screen Protectors (3rd party) *  <a href="http://www.nushield.com">http://www.nushield.com</a>		Additional Screen Protectors	<ul style="list-style-type: none"> <li>▶ NuShield AG™ - works well indoors under bright lights to minimize glare.</li> <li>▶ NuShield AM™ - antimicrobial film is an antiglare film designed for hospitals, public kiosks, restaurants and POS terminals where transmission of disease is a primary concern.</li> <li>▶ NuShield DayVue™ - antireflective film is the best choice for displays that are being used outdoors.</li> </ul>	

## Headset/Audio Accessories


### Wired Headsets and Audio Accessories

NOTE: Wired headsets are not supported on MC3300x series or MC3300 RFID units which do not include a headset jack.

Part Number	Picture	Description	Notes	Required Items
-------------	---------	-------------	-------	----------------



HS2100-OTH		HS2100 Rugged Wired Headset (Over the Head headband)	<ul style="list-style-type: none"> <li>► Built to handle the everyday inevitable drops</li> <li>► Dustproof, sprayproof and waterproof</li> <li>► Ready for the freezer and outdoor subzero temperatures</li> <li>► Feather-light for extraordinary comfort</li> <li>► Noise cancellation for a superior voice experience in the noisiest environments</li> <li>► Detachable swivel boom minimizes costs.</li> <li>► Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations.</li> <li>► User-replaceable pads and windscreens maximize comfort and hygiene.</li> <li>► Not compatible with MC33 series RFID units or MC3300x units which do not have a headset jack.</li> </ul>	Quick Disconnect Headset cable (CBL-HS2100-QDC1-02) AND MC31/MC32 to Quick Disconnect Adapter Cable (25-124411-02R)
HS2100-BTN-L		HS2100 Rugged Wired Headset (Behind the Neck Left headband)	<ul style="list-style-type: none"> <li>► Built to handle the everyday inevitable drops</li> <li>► Dustproof, sprayproof and waterproof</li> <li>► Ready for the freezer and outdoor subzero temperatures</li> <li>► Feather-light for extraordinary comfort</li> <li>► Noise cancellation for a superior voice experience in the noisiest environments</li> <li>► Detachable swivel boom minimizes costs.</li> <li>► Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations.</li> <li>► User-replaceable pads and windscreens maximize comfort and hygiene.</li> <li>► Not compatible with MC33 series RFID units or MC3300x units which do not have a headset jack.</li> </ul>	Quick Disconnect Headset cable (CBL-HS2100-QDC1-01) AND MC31/MC32 to Quick Disconnect Adapter Cable (25-124411-02R)
VR12 (3rd party) * <a href="http://www.blueparrott.com">http://www.blueparrott.com</a>		BlueParrott VR12 Wired Noise Cancelling Headset	<ul style="list-style-type: none"> <li>► Audio accuracy for voice picking and other speech recognition applications.</li> <li>► High quality durability stands up to all-day, every-day use.</li> <li>► Lightweight design is easy and comfortable to wear all day.</li> <li>► Compatible with most major wearable computers and devices used in voice-picking environments.</li> <li>► G type (GN Netcom) Quick Disconnect.</li> <li>► Convertible design gives choice of over-the-head and behind-the-neck wearing styles.</li> <li>► Not compatible with MC33 series RFID units or MC3300x units which do not have a headset jack.</li> </ul>	Headset Adapter Cable (25-124411-02R)
CBL-HS2100-QDC1-02		HS2100 Quick Disconnect Cable	<ul style="list-style-type: none"> <li>► For use when connecting HS2100 to devices using standard Quick Disconnect jack.</li> <li>► Cable length is approximately 33" (84 cm).</li> <li>► Has improved quick disconnect connector and strain relief vs. CBL-HS2100-QDC1-01.</li> </ul>	










25-124411-03R		MC31/MC32/MC33 Headset Adapter Cable, HS2100 / RCH50/ BlueParrot connector	<ul style="list-style-type: none"> <li>► Cable has right angle connector and locking screw into the MC33 audio jack.</li> <li>► Connects HS2100, RCH50, BlueParrot, Voxware, and Eartec headsets</li> <li>► Updated cable minimizes cross talk and intermittency issues.</li> <li>► Not compatible with MC33 series RFID units or MC3300x units which do not have a headset jack.</li> </ul>	
---------------	---	--	--	--



#### Bluetooth Headsets and Audio Accessories

NOTE: Bluetooth headsets with PTT function not supported by Zebra PTT Express application. Check with Engineering to verify compatibility with Zebra PTT Pro application.



Part Number	Picture	Description	Notes	Required Items
See HS2100-HS3100 Accessories Document		HS3100 Rugged Bluetooth Headset	<ul style="list-style-type: none"> <li>► HD Voice, also known as Wide Band Audio, brings incredible audio clarity</li> <li>► Built to handle the everyday inevitable drops</li> <li>► Dustproof, sprayproof and waterproof</li> <li>► Ready for the freezer and outdoor subzero temperatures</li> <li>► Feather-light for extraordinary comfort</li> <li>► Noise cancellation for a superior voice experience in the noisiest environments</li> <li>► Swap batteries on the fly — without losing the Bluetooth connection</li> <li>► Split-second tap-to-pair simplicity using NFC.</li> <li>► Detachable swivel boom minimizes costs.</li> <li>► Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations.</li> <li>► User-replaceable pads and windscreens maximize comfort and hygiene</li> <li>► 15 hours of battery power</li> </ul>	See HS2100/HS3100 Accessories Document for headset accessories
various Bluetooth models B550-XT B350-XT C400-XT C300-XT (3rd party) * <a href="http://www.blueparrott.com">http://www.blueparrott.com</a>		BlueParrott Bluetooth Headsets	<ul style="list-style-type: none"> <li>► Various Bluetooth models available with options that include:               <ul style="list-style-type: none"> <li>- Blocking out 96% of background noise</li> <li>- Over 24 hours of talk time</li> <li>- NFC Tap to Pair capable</li> <li>- Bluetooth wireless range capable up to 300 ft.</li> <li>- Convertible wearing options: over the head, behind the neck.</li> </ul> </li> </ul> See BlueParrot site for model specific options.	

<p>APTT1 (3rd party) *</p> <p><a href="https://www.aina-wireless.com/">https://www.aina-wireless.com/</a></p>		<p>Aina Push-To-Talk (PTT) Bluetooth Voice Responder Remote Speaker/Mic (RSM)</p>	<ul style="list-style-type: none"> <li>▶ Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support).</li> <li>▶ Includes clip for attaching device to clothing for lapel speaker/mic usage.</li> <li>▶ Features several buttons which the application developers can assign to different functions.</li> <li>▶ Users can remotely control functions such as push-to-talk, phone calls, channel switching and emergency alerts.</li> <li>▶ Device is ruggedized, MIL-STD 810G and IP67.</li> <li>▶ Long lasting battery designed for 24 hour approx battery life. Can be recharged via micro-USB port.</li> <li>▶ Includes 3.5mm headset jack allowing headphones to be connected for keeping conversations more private.</li> <li>▶ Can be easily paired to mobile computer using NFC tap-to-pair.</li> </ul>	
<p>H3-B-1 (3rd party) *</p> <p><a href="https://www.dellking.com">https://www.dellking.com</a></p>		<p>Wandfu H3 Push-To-Talk (PTT) Bluetooth Remote Speaker/Mic (RSM)</p>	<ul style="list-style-type: none"> <li>▶ Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support).</li> <li>▶ Includes clip for attaching device to clothing for lapel speaker/mic usage.</li> <li>▶ Includes 3.5mm headset jack allowing headphones to be connected for keeping conversations more private.</li> </ul>	
<p>BTR-155 (3rd party) *</p> <p><a href="https://www.savoxaccessories.com">https://www.savoxaccessories.com</a></p>		<p>Savox BTR-155 Bluetooth Remote Speaker/Mic (RSM)</p>	<ul style="list-style-type: none"> <li>▶ Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support).</li> <li>▶ Includes clip for attaching device to clothing for lapel speaker/mic usage.</li> <li>▶ Rugged wireless speaker microphone IP55.</li> <li>▶ Allows cable-free movement</li> <li>▶ Familiar speaker microphone functions; PTT and volume buttons</li> <li>▶ Includes 2.5mm headset jack allowing headphones to be connected for keeping conversations more private.</li> <li>▶ LED status indication</li> <li>▶ High speaker volume</li> <li>▶ Includes: <ul style="list-style-type: none"> <li>- Savox RSM</li> <li>- Modular Wired earpiece</li> <li>- Wall Charger</li> <li>- USB Cable</li> <li>- Quick Start Guide</li> <li>- Carrying Strap</li> </ul> </li> </ul>	

<p>BTH-101 (3rd party) *</p> <p><a href="https://www.savoxaccessories.com">https://www.savoxaccessories.com</a></p>	 	<p>Savox Push-To-Talk (PTT) Bluetooth Headset</p>	<ul style="list-style-type: none"> <li>▶ Bluetooth headset designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support).</li> <li>▶ Also operates as standard Bluetooth headset for taking phone calls.</li> <li>▶ Device is lightweight and ruggedized, IP55.</li> </ul>	
Power Cords/Power Supplies				
Part Number	Picture	Description	Notes	Required Items
CBL-DC-388A1-01		DC Power Cord	<ul style="list-style-type: none"> <li>▶ Used along with Power Supply PWR-BGA12V50W0WW to power Single Slot Cradle, MC32/MC33 4-Slot Battery Charger.</li> <li>▶ Cable length is 1.8 meters</li> </ul>	
PWR-BGA12V50W0WW		Power Supply	<ul style="list-style-type: none"> <li>▶ Used to power Single Slot Cradles, MC32/MC33 4-Slot Battery Charger.</li> <li>▶ 100-240 VAC, 12V, 4.16A, 50W</li> <li>▶ Provides US DOE Level VI compliance for power efficiency.</li> <li>▶ Replaces PWRS-14000-148R</li> </ul>	DC Line Cord (CBL-DC-388A1-01) and AC Line Cord (23844-00-00R)
KIT-PWR-12V50W		Power Supply Kit	<ul style="list-style-type: none"> <li>▶ Includes Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-388A1-01)</li> </ul>	AC Line Cord (23844-00-00R)
CBL-DC-381A1-01		DC Power Cord	<ul style="list-style-type: none"> <li>▶ Used with Power Supply PWR-BGA12V108W0WW to power MC33 5-Slot Multi-Slot ShareCradles and MC32/MC33 20-Slot Spare Battery Charger.</li> <li>▶ This cable does not include the black extension release latch which is not required when used on Multi-Slot ShareCradles.</li> </ul>	
CBL-DC-382A1-01		DC Power Cord	<ul style="list-style-type: none"> <li>▶ Used with Power Supply PWR-BGA12V108W0WW to power 4-Slot MC30/MC31/MC32 Legacy Cradles.</li> </ul>	
CBL-DC-523A1-01		2-Way DC Y Power Cord	<ul style="list-style-type: none"> <li>▶ Used to power two 4-Slot Battery Chargers with one Power Supply (PWR-BGA12V108W0WW)</li> </ul>	

PWR-BGA12V108W0WW		Power Supply	<ul style="list-style-type: none"> <li>► Used to power 5-Slot Cradles, and 20 Slot MC33 Spare Battery Charger.</li> <li>► 100-240 VAC, 12V, 9A, 108W</li> <li>► Provides US DOE Level VI compliance for power efficiency.</li> <li>► Replaces PWRS-14000-241R</li> </ul>	CBL-DC-381A1-01 and 23844-00-00R
23844-00-00R		AC Line Cord	<ul style="list-style-type: none"> <li>► This AC Line Cord is for use in North America. See the <b>AC Line Cords by Country</b> TAG for comparable line cords to use in other countries.</li> </ul>	
PWR-WUA5V12W0US (US plug style) PWR-WUA5V12W0GB (UK plug style) PWR-WUA5V12W0EU (EU plug style) PWR-WUA5V12W0AU (Australia plug style) PWR-WUA5V12W0CN (China plug style) PWR-WUA5V12W0IN (India plug style) PWR-WUA5V12W0KR (Korea plug style) PWR-WUA5V12W0BR (Brazil plug style)		USB Power Supply	<ul style="list-style-type: none"> <li>► Used with MC33 Charge/Communication Cable (CBL-MC33-USBCHG-01) to charge device.</li> <li>► Provides higher current (2.5A) for faster charging</li> <li>► 100-240 VAC, 5 V, 2.5 A</li> </ul>	
CHG-AUTO-USB1-01 CHG-AUTO-USB1-BR (for Brazil)		USB Cigarette Lighter Adapter	<ul style="list-style-type: none"> <li>► Can be used to charge MC33 from USB snap-on cable.</li> <li>► Includes two USB A ports providing higher current (2.5A) for faster charging</li> </ul>	

## Batteries

Part Number	Picture	Description	Notes	Required Items
BTRY-MC33-27MA-01 (single) BTRY-MC33-27MA-10 (10 pack) BTRY-MC33-27MA-IN (for use in India) ► Discontinued 8/2021 - see PMB 10694		MC33 Spare Standard Capacity Battery with PowerPrecision Plus (2740 mAh) 	<ul style="list-style-type: none"> <li>► Designed, manufactured &amp; tested to meet rigorous controls &amp; standards</li> <li>► Premium-grade cells with higher capacity &amp; longer life cycle</li> <li>► Designed to help prevent overcharging &amp; electrical shock</li> <li>► Strong &amp; robust housing for optimal performance &amp; durability</li> <li>► Information available:               <ul style="list-style-type: none"> <li>- Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device.</li> <li>- Advanced State of Health (highly accurate end-of-life prediction)</li> <li>- Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency).</li> </ul> </li> <li>► Not compatible with MC33 series RFID units.</li> </ul>	

<p>BTRY-MC33-52MA-01 (single)</p> <p>BTRY-MC33-52MA-10 (10 pack)</p> <p>BTRY-MC33-52MA-IN (for use in India)</p>		<p>MC33 Spare High Capacity Battery with PowerPrecision Plus (5200 mAh)</p> 	<ul style="list-style-type: none"> <li>► Designed, manufactured &amp; tested to meet rigorous controls &amp; standards</li> <li>► Premium-grade cells with higher capacity &amp; longer life cycle</li> <li>► Designed to help prevent overcharging &amp; electrical shock</li> <li>► Strong &amp; robust housing for optimal performance &amp; durability</li> <li>► Information available: <ul style="list-style-type: none"> <li>- Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device).</li> <li>- Advanced State of Health (highly accurate end-of-life prediction)</li> <li>- Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency.</li> </ul> </li> </ul>	
<p>BTRY-MC33-70MA-01 (single)</p> <p>BTRY-MC33-70MA-10 (10 pack)</p> <p>BTRY-MC33-70MA-IN (single, for use in India)</p>		<p>MC33 Spare Extended Capacity Battery with PowerPrecision Plus (7000 mAh)</p> 	<ul style="list-style-type: none"> <li>► Designed, manufactured &amp; tested to meet rigorous controls &amp; standards</li> <li>► Premium-grade cells with higher capacity &amp; longer life cycle</li> <li>► Designed to help prevent overcharging &amp; electrical shock</li> <li>► Strong &amp; robust housing for optimal performance &amp; durability</li> <li>► Information available: <ul style="list-style-type: none"> <li>- Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device).</li> <li>- Advanced State of Health (highly accurate end-of-life prediction)</li> <li>- Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency.</li> </ul> </li> <li>► Increases run time of MC33 series RFID unit an additional 1.5 hours vs. using High Capacity 5200 mAh battery.</li> </ul>	

<p>BTRY-MC33-7BLE-01 (single battery only)</p> <p>BTRY-MC33-7BLE-1DT (single battery and 3-year term Device Tracker Cloud license)</p> <p>BTRY-MC33-7BLE-10 (10 pack)</p> <p>BTRY-MC33-7BLE-IN (single, for use in India)</p>		<p>MC33 Spare Extended Capacity Battery with PowerPrecision Plus (7000 mAh) and BLE beacon</p> 	<ul style="list-style-type: none"> <li>► Designed, manufactured &amp; tested to meet rigorous controls &amp; standards</li> <li>► Premium-grade cells with higher capacity &amp; longer life cycle</li> <li>► Designed to help prevent overcharging &amp; electrical shock</li> <li>► Strong &amp; robust housing for optimal performance &amp; durability</li> <li>► Information available: <ul style="list-style-type: none"> <li>- Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device).</li> <li>- Advanced State of Health (highly accurate end-of-life prediction)</li> <li>- Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency.</li> </ul> </li> <li>► Increases run time of MC33 series RFID unit an additional 1.5 hours vs. using High Capacity 5200 mAh battery.</li> <li>► Includes Bluetooth beacon allowing device to be located while powered off using solutions like Zebra Device Tracker.</li> <li>► NOTE: Device may require OS/LifeGuard update to support Bluetooth beacon feature.</li> <li>► BLE function only supported on MC3300ax and MC3300x configs, not MC3300, MC3300R (RFID) or MC3300xR (RFID).</li> </ul>	
<p>BTRY-MC32-01-01</p> <p>BTRY-MC32-01-10 (10 pack)</p>		<p>MC3200 Spare 1X Battery with PowerPrecision (2740 mAh)</p> 	<ul style="list-style-type: none"> <li>► Works with all MC32XX configurations only</li> <li>► Supports PowerPrecision battery management application</li> <li>► Also compatible with MC3300.</li> <li>► Not compatible with any MC33 series RFID units or MC3300x units.</li> </ul>	
<p>BTRY-MC32-52MA-01</p> <p>BTRY-MC32-52MA-10 (10 pack)</p>		<p>MC3200 Spare 2X High Capacity Battery with PowerPrecision (5200 mAh)</p> 	<ul style="list-style-type: none"> <li>► Works with MC32xx configurations</li> <li>► Supports PowerPrecision battery management application</li> <li>► Also compatible with MC3300 and MC3300 RFID units.</li> <li>► Not compatible with MC3300x or MC3300x RFID units.</li> </ul>	