## Industry & Logistics







# Tag quality ensures data integrity

RFID systems are accelerating data collection speed, volume, and accuracy, helping organizations optimize logistics and gain insight for process improvement. However, tag failure can compromise system efficacy.

The breadth of the HID Global portfolio allows you to easily match an RFID tag to your exact requirements. If you need to track it, we can tag it.

### Industry-proven tags

With hundreds of standard configurations and thousands of applications, HID Global delivers tags with proven performance in low frequency (LF), high frequency (HF), and ultrahigh frequency RAIN® RFID (UHF) systems, allowing you to choose the optimal technology for each use case.

HID Global tags are available in a wide selection of standard sizes and shapes. From the Brick Tag that fits discreetly into spaces smaller than a match to the large, ultra-thin InLine Tag® Plate container tag, which accommodates printing, embossing or labels for visual identification. Utilizing advanced RFID technology, HID Global can deliver the perfect solution for your application.

Our RFID engineers have designed these tags with advanced integrated chips that pack evergrowing amounts of data into ever-shrinking forms, significantly expanding logistics, tracking, and reporting capabilities. Large-memory tags from HID Global enable tracking systems to store data off-line on the tag and employ secure coding and encryption techniques for greater data availability.

At the same time, HID Global also offers tags for industrial applications that work with simple, unique standardized identifiers.

### Tags supporting innovative use cases

The patent pending HID Global Trusted Tag<sup>®</sup> Services offer unique authentication with every tap of an NFC phone to the tag for "proof of presence", brand protection and other Internet of Things (IoT) applications. All without downloading an app or the need for special RFID readers or additional hardware. Active BEEKS™ BLE beacons with a variety of environmental sensors together with the corresponding Bluzone<sup>™</sup> cloud solution enable powerful industrial Internet of Things (IoT) applications.

### A tag for every environment

HID Global designs RFID tags to meet the environmental demands of any application. Some tags are optimized to be embedded into other products or materials thus making the tag invisible and almost immune to mechanical damage.

Rugged RFID tags are designed to withstand the natural elements, from sub-freezing cold temperatures to tropical heat, driving rain to heavy snow, and the persistent barrage of the sun's UV rays.

Harsh-condition RFID tags are resistant to the extremes of industrial processing. Our portfolio includes tags that withstand intense heat, in excess of 430° F (220° C), and bitter cold, to minus-40° F (-40° C) and even liquid Nitrogen for special applications. HID Global rugged and harsh-condition tags are impervious to moisture and chemicals, and can endure mechanical impact, vibration and high-pressure sprays.

HID Global tags perform well on all surfaces, including metal, glass, plastic or wood, and under all conditions.

## A TAG FOR EVERY APPLICATION

The HID Global RFID tag portfolio delivers the broadest range of:

- Worldwide operating frequencies
- LF 125 kHz, 134.2 kHz
- HF/NFC 13.56 MHz
- RAIN<sup>®</sup> RFID (UHF) 860 to 960 MHz
- Bluetooth Low Energy (BLE)
- Memory capacities, from simple UID up to 64 kilobytes read-write user memory.
- Housings, from cost-effective polyamide, to extreme-durability polyphthalamide.
- Size and mounting options, including tags designed for optimal performance when mounted on metal surfaces.
- Compliance with international standards and protocols, including EPC, ISO, NFC, ATEX etc. (See individual tag family datasheets for specific certifications.)

0

Ø,

-



Track the position and operating condition of industrial assets via BLE

### A tag custom-designed for your application

If one of our hundreds of tags does not meet your precise needs, HID Global can customize a cost-effective tag to your unique specifications for chip type, dimensions, programming and materials.

Tags need not always be retrofitted; consider embedding RFID technology directly into your product at production time to verify product authenticity or optimize logistics processes. Certain HID Global tags withstand even the heat and pressure of plastic injection, and allow creating RFID enabled plastic containers with no outside visible tag. Others utilize our patented direct bonding technology to enable special form factors, such as tiny ring-shapes, for a pipe or tool to pass through.

Customization also offers the option to embed multiple technologies in a single RFID tag, providing pathways that connect legacy systems with new initiatives.

HID Global has over 45 years of manufacturing experience and over 25 years of expertise developing secure contactless transponder technology. For innovative technology, industry knowledge, field-proven experience, and manufacturing, rely on HID Global.



Freq

Available

HID Global's location and condition monitoring services deliver real-time building utilization, easily locate assets and improve production with condition monitoring analytics on equipment. BEEKs<sup>™</sup> sensor beacons and BluFi<sup>™</sup> BLE to WiFi gateways are equipment agnostic, easy and cost efficient to install.

	Embed or Insert Tag form factors which are typically embedded or inserted into other things								
	Embeddable RFID	Glass Tag	Brick Tag	Nail Tag	Plug Tag	HID Trusted Tag®			
			u u u		J.	P			
	Embeddable RFID tags or la- bels - designed for customized enclosure	Compact cap- sules, resistant to long term immersion	Tiny units embedable into keyfobs, cables	Glass-fiber nails for wood or pallets	Plastic inserts for permanent mounting to waste and other containers	NFC tags in various forms, providing authentic URLs at every tap			
Frequencies	LF, HF, UHF	LF, HF	LF, HF, UHF	LF	LF	HF (NFC)			
Special properties	On metal dual- frequency and other options possible	Food compat- ible; embed- dable in metal or plastic	Extremely small	Hammer into wood	Hard to remove after insertion	Form factors: Wet inlay, Seal Tag, ClearDisc, Epoxy keyfob, ISO card			





Make industrial laundry processes more efficient

Available

		<b>Discs</b> Round RFID tags to screw-on, glue or embed almost anywhere						
	Poly Tag™		IN Tag™	Logi Tag*	LinTag™	World Tag*	Epoxy Tag	Bin Tag
		$\bigcirc$	9 <sub>990</sub> ,			A OLD TAO	••	
		Extreme-impact resistant discs	Ruggedized RFID discs for severe industrial environ- ments	Micro-sized, thin, cemical and pres- sure resistant high performance discs	Highly robust linen tags for laundry applications	Cost-effective, general use indoor asset tags	Thin, rigid, surface-printable discs and rect- angles	Inserts that screw or embed into waste collection bins
e	Frequencies	LF, HF	LF, HF, UHF	LF, HF	UHF	LF	LF, HF, UHF	LF, HF, UHF
Available	Special properties	Mount on metal sup- ported	Flame resistant; Food compatible; Mount on metal	Special form fac- tors as button or on-metal tag	Versions to embed, sew or glue (ironing)		Withstands plastic injection; broad- band UHF	Standardized form factor for plastic waste bins

	Special Form Factors Flexible or rigid tags with special properties for the most demanding applications							
	SlimFlex™ Tag	Seal Tag	InLine Tag® Plate	InLine Tag* Ultra	Keg Tag	TapMark™Tag	Iron Tag*	
				- Maria		FERTUR		
	Flexible, rugged units with versatile mounting options	Flexible units with built-in tamper evident cable tie	Thin, rigid con- tainer tags with large surfaces for laser engraving or labels	High performance, general purpose UHF transponders	Tags for tracking curved metallic kegs and gas cylinders	Slim RAIN UHF transponders for surface-mounting to indoor assets	Lightweight and robust high-tem- perature UHF tags for on metal use	
Frequencies	HF, UHF	HF, UHF, BLE	HF, UHF	UHF	HF, UHF	UHF	UHF	
Special properties	Broadband; food compatible; flexible	Broadband; food compatible; tamper evident	Mount on metal, UHF/NFC combo option	Broadband; mount on metal; welding option	Mount on metal; welding option	Broadband; 6 different mounting options	Flame Resistant; Food compatible; Mount on metal	

North America: +1 949 732 2000 • Toll Free: 1 800 237 7769 Europe, Middle East, Africa: +44 1440 714 850 Asia Pacific: +852 3160 9800 • Latin America: +52 55 9171 1108

© 2020 HID Global Corporation/ASSA ABLOY AB. All rights reserved. HID, HID Global, the HID Blue Brick logo, the Chain Design, Genuine HID. Swift ID, Smartscreen, iCLASS and FARGO are trademarks or registered trademarks of HID Global or its licensor(s)/supplier(s) in the US and other countries and may not be used without permission. All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners.

2020-03-26-hid-rfid-industry-logistics-br-en PLT-00773

An ASSA ABLOY Group brand



ASSA ABLOY